

# B2 RAPID FIRE BENDER WITH TOUCH CONTROL

THE FIRST CORDLESS BENDER ON THE MARKET WITH PRESET, REPEATABLE BEND ANGLES.

# iTOOLco.



Touch Screen Allows User to Pre-Save Springback Values for up to 5 Brands



Split Slip Technology Allows One Shoe for EMT, IMC, Rigid, Aluminum & A.R.C. Conduit



Hydraulic Load Bar Locks Conduit In Place with the Push of a Button

iTOOLco's B2 Rapid Fire Bender with Touch Control is the fastest & most innovative bender on the market. Designed with the end user in mind, this bender accepts 3/4"-2" EMT, IMC, Rigid, Aluminum & A.R.C. conduit - without the need to change shoes. That's right the same shoe will bend rigid EMT, IMC & Aluminum utilizing a "split slip technology". By setting the conduit alignment lever to the correct setting, and adjusting the load bar rollers you can easily swap between types of conduit. The B2 is designed to shotgun two 3/4" pieces of conduit. Featuring a hydraulic load bar that easily locks your conduit into the "ready to bend position" with the push of a button. Gone are the days of pushing down on the load rollers while trying to align your bending marks at the desired location.

With the built in Touch Control System, adjusting for conduit spring back has never been easier. Simply type in the desired bend angle, and the unit will automatically calculate springback for you based on the size, type and angle of your conduit. The Touch Control System will also allow you to presave different conduit brands, types, sizes and springbacks. Making bending calibration a breeze. The unit will also allow you to transfer any stored data to other control units, ensuring your entire fleet of benders is working off of the same data. While password protection ensures only qualified users change the information your crew is working off of.

Four times faster than conventional benders - the B2 with Touch Control will guarantee prefab or remote bending jobs are done on time & under budget.

Watch Video




Patent Pending

FASTER SAFER WORKSPACE

iTOOLco.com / 865-670-3713

# B2 RAPID FIRE BENDER WITH TOUCH CONTROL




### EASY TO READ HOME SCREEN

The touch control screen allows you to select your conduit brand, type & size as well as desired bend angle with the push of a button.

### CUSTOMIZE UP TO 5 BRAND TYPES

The touch control screen allows you to setup your own brands in the system, so that every time you bend that brand of conduit you can refer back to the preset values.



# B2 RAPID FIRE BENDER

THE FIRST CORDLESS BENDER ON THE MARKET



# iTOOLco.



### AUTOMATICALLY ADJUSTED SPRINGBACK


The touch control screen will automatically adjust for springback values. Just enter your desired bend angle, then the unit will automatically set a springback value.

**PASSWORD PROTECTION**  
The control center features password protection on certain access points within the unit, preventing unauthorized users from changing preset settings.




# B2 RAPID FIRE BENDER WITH TOUCH CONTROL

**iTOOLco.**



**QUICK LOAD CONDUIT CRADLE**  
keeps larger conduit in line and positioned correctly during each bend.

**LEVEL SURFACE MOVES WITH SHOES**  
Making it easy to see correct bend angles.



**HEAVY DUTY CASTERS**

**FORKLIFT POCKETS**  
allow user to move unit around jobsite.



**QUICKLY CHANGES TO TABLE TOP POSITION**  
With the pull of one pop pin, the B2 can change from standard to a table top position. Allowing up to a 52" offset.



**HEAVY DUTY CONTROL PENDANT**  
Allows the user to quickly load, unload, bend & retract without having to worry about faulty units.

# B2 RAPID FIRE BENDER WITH TOUCH CONTROL

**IToolCo.**




## CONDUIT ALIGNMENT LEVER

allows user change between EMT, IMC, RIGID, ALUMINUM & A.R.C. conduit.

**ONE UNIT - 120V (FOR CHARGING) OR BATTERY ONLY**  
(BATTERIES REQUIRED FOR ALL OPERATIONS.)

**HEAVY DUTY HANDLE**  
for easy transport.



## STANDARD MARINE BATTERIES

Die Hard M24-3 is recommended.  
(Batteries not included)

\*2 hr charging time. You can plug in the unit and use while charging.




**INCLUDES TWO 3/4", ONE 1",  
ONE 1-1/4", ONE 1-1/2", & ONE 2" SHOE**




# B2 RAPID FIRE BENDER WITH TOUCH CONTROL

**iTOOLco.**



## 3/4" SHOTGUN SHOES STANDARD

The B2 comes with two 3/4" slots allowing the end user to shotgun two pieces of 3/4" conduit.



**ERGONOMIC  
WORK HEIGHT**



## HYDRAULIC LOAD BAR LOCKS CONDUIT INTO PLACE

The bar is designed with two roller pockets to accommodate different types of conduit, and it locks the conduit into place for accurate bending.

# B2 RAPID FIRE BENDER WITH TOUCH CONTROL

**iTOOLco.**



\*Sold as shown

Model	Description	Specifications
<b>B201TC</b>	Cordless/Corded B2 Rapid Fire Bender™ With Touch Control	55-1/2"H x 31-1/2"W x 60"L 1,025 lb.

UPC# 6424610098492

Patent Pending

©2025 iTOOLco

**6**  
YEAR  
LIMITED  
WARRANTY



iTOOLco.com / 865-670-3713

# B2 OPTIONS

**iTOOLco.**



**B2 Rapid Fire Bender (B201)**  
*Bender base unit.*

**Touch Control Screen**  
(B2-TC01)

*Touch control screen only.*



**B2 Rapid Fire Bender with Touch Control (B201TC)**  
*Bender base unit with touch control screen.*