

Opt-X® 500i SDX Rack-Mount Enclosures and Panels

1RU, 2RU, and 3RU

APPLICATION

Opt-X 500i SDX Rack-Mount Enclosures and Panels allow for inter-connect or cross-connect between backbone cable and active equipment while using minimum rack space in a frame or cabinet setting. The features and design allow for easy field termination of connectors, splicing, or installation of pre-terminated plug-n-play solutions. These economical enclosures and panels are ideal for small-enterprise applications.



5R1UL-F03



5R2UL-F06



5R3UL-F12



5R1UE-OPX



5R3UE-OPX

STANDARDS COMPLIANCE

Meets or exceeds all ANSI/TIA-568-C.3 requirements

COUNTRY OF ORIGIN

Mexico (for 5RxUL)
USA (for 5RxUE)

SPECIFICATION

Fiber enclosures shall have a flush-mount bulkhead and shall be available in 1RU, 2RU, and 3RU versions to accommodate termination and splicing of fiber. Fiber panels shall have a flush-mount bulkhead and shall be available in 1RU and 3RU versions to accommodate termination of fiber. Adapter bulkhead shall accept SC, LC, ST, MTP®, and QuickPort® adapter plates and plug-n-play MTP modules/cassettes. Fiber cable management for routing, storage, and protection shall be inclusive of patch cords, tight-buffer fiber, and backbone cables. Enclosures and panels shall be constructed of 16-gauge steel with a powder-coated black finish and be mountable in a 19-inch rack or cabinet frame.

FEATURES

- Flush-mount adapter bulkhead makes moves, adds, and changes easy
- Stackable fiber rings simplify cable routing and organization
- One-piece removable cover on enclosure allows for complete accessibility to the back of the enclosure and protect fibers
- Constructed of 16-gauge steel, powder-coated black
- Add-on patch cord cable management tray (sold separately) shares existing rack unit with the mounted enclosure
- Convert to HDX cassettes or adapter plates using conversion bracket (sold separately)

DESIGN CONSIDERATIONS

- Enclosures and panels are sold empty (unloaded)
- Accepts SDX adapter plates, MTP cassettes, or splice modules
- Optional cable strain-relief clamp kits available for installation on side of enclosure or on rack post
- 19-inch enclosure/cabinet rack mount
- Enclosure is capable of storing up to three meters of 900 µm tight-buffered fiber per adapter opening
- Accessory kit for enclosure consists of cable ties, mounting ear screws, and ID label
- Accessory kit for panel consists of mounting screws

PHYSICAL SPECIFICATIONS

Dimensions: See page two

Materials: Constructed of 16-gauge steel, powder-coated black

WARRANTY INFORMATION

For a copy of Leviton product warranties, visit www.leviton.com/warranty.

MTP® is a registered trademark of US Conec, Ltd.

Leviton Network Solutions

2222 - 222nd St. SE
Bothell, WA 98021-4416

tel 1-800-824-3005
tel +1-425-486-2222
appeng@leviton.com
www.leviton.com

Asia / Pacific

T +1.631.812.6228
E infoasean@leviton.com

Europe

T +44.0.1592.772124
E customerservice@brand-rex.com

Canada

T +1.514.954.1840
E pcservice@leviton.com

India / SAARC

T +971.4.886.4722
E infoindia@leviton.com

Caribbean

T +1.954.593.1896
E infocaribbean@leviton.com

Mexico

T +52.55.5082.1040
E lsamarketing@leviton.com

China

T +852.2774.9876
E infochina@leviton.com

Middle East & Africa

T +971.4.886.4722
E lmeinfo@leviton.com

Colombia










T +57.1.743.6045
E infocolombia@leviton.com

South Korea

T +82.2.3273.9963
E infokorea@leviton.com

ELECTRONIC FILES

For CAD files, typical specs, or technical drawings (.DXF, .DWG), visit www.leviton.com.



5RxUL-Fxx, 5RxUE-OPX

OPT-X 500i® SDX RACK-MOUNT ENCLOSURES AND PANELS

DESCRIPTION	PART NO.
1RU Enclosure, Empty	5R1UL-F03
2RU Enclosure, Empty	5R2UL-F06
3RU Enclosure, Empty	5R3UL-F12
1RU Panel, Empty	5R1UE-OPX
3RU Panel, Empty	5R3UE-OPX

ACCESSORIES

DESCRIPTION	PART NO.
Universal Opt-X Clamp Kit (for enclosure)	5RCMP-KIT
Universal Opt-X Clamp Kit (for rack post)	5RCMR-KIT
Fiber Cable Management ¼ Ring Kit (bag of four)	5R100-14R
Universal Patch Cord Management, 0RU	5RCMT-VFG
Universal Patch Cord Management Tray, 1RU	5R1UX-CMT
Universal Patch Cord Management Tray, 2/3RU	5R2UX-CMT
HDX to SDX Adapter Bracket	HDXAD-ACC

DENSITY

Rack Unit(s)	Fibers (using LC)	SDX Adapter Plates, MTP® Cassettes, or Splice Modules	Splice trays
1RU Enclosure	72	Up to 3 (horizontal orientation)	Up to 3
2RU Enclosure	144	Up to 6 (horizontal orientation)	Up to 6
3RU Enclosure	288	Up to 12 (vertical orientation)	Up to 12
1RU Panel	72	Up to 3 (horizontal orientation)	n/a
3RU Panel	288	Up to 12 (vertical orientation)	n/a



Leviton Network Solutions
 2222 - 222nd St. SE
 Bothell, WA 98021-4416

Asia / Pacific
 T +1.631.812.6228
 E infoasean@leviton.com

Canada
 T +1.514.954.1840
 E pcservice@leviton.com

Caribbean
 T +1.954.593.1896
 E infocaribbean@leviton.com

China
 T +852.2774.9876
 E infochina@leviton.com

Colombia
 T +57.1.743.6045
 E infocolombia@leviton.com

tel 1-800-824-3005
 tel +1-425-486-2222
 appeng@leviton.com
 www.leviton.com

Europe
 T +44.0.1592.772124
 E customerservice@brand-rex.com

India / SAARC
 T +971.4.886.4722
 E infoindia@leviton.com

Mexico
 T +52.55.5082.1040
 E lsamarketing@leviton.com

Middle East & Africa
 T +971.4.886.4722
 E lmeinfo@leviton.com

South Korea
 T +82.2.3273.9963
 E infokorea@leviton.com