



Catalog No. TSDR840CFCUGP

Description: MSLC DU-MB RGLS 400A22K 8/16 F UG LB GP

UPC No 783164483079

Home > Load Centers > Meter Socket

PowerMark Gold Meter Socket Load Centers are an ideal option for residential applications. Additionally, PowerMark Gold Meter Socket Load Centers provide increased reliability and maximum circuit layout flexibility. All our PowerMark Gold Meter Socket Load Centers are built with high-quality materials for extended durability. Furthermore, their perfected design allows for an easy and fast installation. The TSDR840CFCUGP is a ringless, dual main breaker meter socket and features spaces for 8, 1" breakers, a 400A main ampere rating, a copper bus, Georgia Power compatibility, and an outdoor suitable, surface enclosure.

Descriptors

Category	Meter Socket
----------	--------------

Specifications

Input/Output Voltage	120/240V ac
Type	Georgia Power
Amperage	400 A
Device type	Meter Socket
Enclosure	Outdoor Type 3R Enclosure
Phase	1 Phase
1" Space	8
1/2" Space	16
NEMA Rating	NEMA 3R
Circuit Breaker Style	Plug-In

Publications

Title	Publication No.	Publication Type
Rating Label TSDR840CFCUGP, 400A, TYPE 3R ENC	TSDR840CFCUGP-LBL	Connection Diagram
DEH41153 Generator Interlock Kit Installation Instructions Instructions for installing the interlock and circuit breaker retainer on the 150-200A rated Meter Socket Load Centers. 8 circuits. Outline Drawing for Part # TSDR840CFCUGP	DEH41153	Application and Technical
Main Breaker Dual THQD - Ringless - 400 A - 22K- 8/16 Circuits - N3R Encl Semiflush Front-Side by Side-Top/Bottom Feed - Georgia Power	TSDR840CFCUGP	Drawings-Outline and Dimensional

Additional Documentation: Visit our Publication Library to find technical documentation, time current curves, CSI Specifications and promotional literature.