

Eaton UHTRS223ACH

Catalog Number: UHTRS223ACH

Eaton meter socket, 1-pos resi service, 200A, Under, Solid top, #6-350 kcmil, 4-jaw, 1-ph, #8-350 kcmil, Horn bypass, Gnd conn (#14-#2 Cu), Triplex, Three-wire, Ringless, 600 Vac

General specifications



Product Name

Eaton meter socket

Catalog Number

UHTRS223ACH

UPC

782114113905

Product Length/Depth

4.94 in

Product Height

13 in

Product Width

13 in

Product Weight

14.21 lb

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Certifications

UL Listed

Product specifications

Phase

Single-phase

Utility approvals

IA : Alliant (IP&L and WP&L)

WI : Alliant (IP&L and WP&L)

MD : First Energy (Potomac Edison)

VA : First Energy (Potomac Edison)

WV : First Energy (Mon Power)

NJ : First Energy (Jersey Central Power and Light)

OH : First Energy (Ohio Edison, Toledo Edison, The Illuminating Company)

PA : First Energy (Allegheny Power, MET ED, Penelec, West Penn Power)

Number of jaws

Four-jaw

Security

Ringless

Amperage Rating

200A

Hub type

Solid top

Line

#8-350 kcmil

Load

#8-350 kcmil

Type

Single-position residential service

Feed type

Bottom

Number of sockets

1

Bypass

Horn

Number of wires

Three-wire

Voltage rating

600 V

Resources

Brochures

[Single Meter Sockets](#)

Catalogs

[Eaton's Volume 1—Residential and Light Commercial](#)

Drawings

[Dimensional Drawing - SKT 200A 1P ST](#)

Specifications and datasheets

[Eaton Specification Sheet - UHTRS223ACH](#)

[Metering Equipment - Utilities Servicing Upstate New York](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)