

Specifications



Eaton MBT48B100BTS

Eaton resi meter breaker, All-in-ones, 100A, C, Aluminum, NEMA 3R, Bottom and top, #6-350 kcm, 22 kAIC, #2-300 kcm, CSR2100, Surface mounting, 8, Four-jaw, 1, 4, Single-phase, Ringless, Used with BR breakers, 120/240 Vac

General specifications

PRODUCT NAME	Eaton residential meter breaker
CATALOG NUMBER	MBT48B100BTS
UPC	786687140856
PRODUCT LENGTH/DEPTH	4.94 in
PRODUCT HEIGHT	25.5 in
PRODUCT WIDTH	14.44 in
PRODUCT WEIGHT	33 lb
CERTIFICATIONS	UL Listed
PRODUCT TYPE	Residential meter breaker



Powering Business Worldwide

Product specifications

Resources

TYPE	All-in-ones
UTILITY APPROVALS	IN : MEG (Duke Energy, Florida Power, Tampa Electric, Gulf Power, Oklahoma Gas and Electric) MS : Entergy NC : MEG (Duke Energy, Florida Power, Tampa Electric, Gulf Power, Oklahoma Gas and Electric) AR : Entergy LA : Entergy SC : MEG (Duke Energy, Florida Power, Tampa Electric, Gulf Power, Oklahoma Gas and Electric) OH : MEG (Duke Energy, Florida Power, Tampa Electric, Gulf Power, Oklahoma Gas and Electric) FL : Tallahassee City Electric KY : MEG (Duke Energy, Florida Power, Tampa Electric, Gulf Power, Oklahoma Gas and Electric) TX : Entergy FL : MEG (Duke Energy, Florida Power, Tampa Electric, Gulf Power, Oklahoma Gas and Electric)
BOX SIZE	C
ENCLOSURE	NEMA 3R
GROUND	#6-350 kcmil
VOLTAGE RATING	120/240 V
NUMBER OF SOCKETS	1
PHASE	Single-phase
NUMBER OF CIRCUITS	8
BUS MATERIAL	Aluminum
FEED TYPE	Top/bottom
MAIN CIRCUIT BREAKER	CSR2150
NUMBER OF JAWS	Four-jaw

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

