## **GREENLEE**.

### **SAFETY DATA SHEET**

## **Section 1 – Product & Company Identification**

Product Name: GREENLEE Dark Threading Oil

Product Catalog No: 462-1 and 462-Q

Product ID No: 50260960 (Gallon); 50282379 (Quart)

Recommended Use: Threading Pipes and Conduits

Restrictions on Use: Industrial use only

Company Information:

North America

GREENLEE TOOLS, INC.

4455 Boeing Drive

Rockford, Illinois 61109-2932

1-800-435-0786

(8:00 am - 5:00 pm CST, M-F)

**Emergency Telephone** 

call 9-1-1 or local emergency number

www.Greenlee.com

<u>Canada</u>

Emerson Electric Canada Limited 66 Leek Crescent, Richmond Hill,

Ontario L4B 1H1 905-762-1010

Revision: A

Issue Date: July 15, 2021



#### Section 2 - Hazards Identification

EMERGENCY OVERVIEW				
		HMIS		
GHS Classification		HEALTH	1	
Physical Hazards	Not Classified	FLAMMABILTY	1	
		PHYSICAL HAZARD	0	
Health and Environmental	See below	PERSONAL	See Section 8	
Hazards	See below	PROTECTION	See Section 6	
Signal Word	WARNING			

**Health and Environmental Hazards** 

Eye damage/irritation Category 2B – Causes eye irritation.

**Precautionary Statements** Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if

present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice or attention.

## Section 3 - Composition / Information On Ingredients

Component **CAS Number Percentage** Petroleum oil 64742-65-0 >70

#### Section 4 - First Aid Measures

First aid not normally required. Remove contaminated clothing. Wash area of contact with soap and water. Wash **Skin Contact** clothing before reuse. Get medical attention if irritation occurs and persists.

Remove contact lenses. Flush with water until all traces of material are gone. Eyelids should be held away from the **Eye Contact** eyeball to ensure thorough rinsing. Get medical attention if irritation persists.

Remove affected person from source of exposure. Get Inhalation medical attention if discomfort persists.

Ingestion Do not induce vomiting because of danger of aspiration into



lungs. If spontaneous vomiting occurs, monitor for breathing difficulty. Get medical attention.

### **Section 5 – Fire Fighting Measures**

#### **Basic Firefighting Procedures**

Treat as an oil fire. Do not use a water jet. Use water spray, dry chemical, foam or CO<sub>2</sub> to extinguish fire. Use a water spray to cool fire-exposed containers, structures and to protect personnel. Exposed firefighters should wear MSHA/NIOSH approved self-contained breathing apparatus with full-face mask and full protective equipment. Flush spills away from sources of ignition.

#### **Unusual Fire and Explosion Hazards**

Combustible at high temperatures. Irritating or toxic substances may be emitted.

#### Section 6 – Accidental Release Measures

#### **Refer to Section 8: Exposure Control and Personal Protection**

**Emergency Action** Isolate release area and keep unnecessary people away.

Exercise caution regarding personnel safety and exposure.

**Spill/Leak Procedure** Floor and surfaces may be slippery. Dike with sand or

other noncombustible material. Flush area with water provided runoff does not enter drain or sewer; use

absorbent material and dispose of properly.

**Notification** Any spill or release to navigable water that causes a visible

sheen upon the water must be reported immediately to the National Response Center (800/424-8802), as required by

U.S. federal law.



### Section 7 - Handling And Storage

#### **Refer to Section 8: Exposure Control and Personal Protection**

**Handling** Wear proper protective equipment. Avoid contact with skin,

eyes and clothing. Avoid breathing vapors or mists. Do not

ingest.

For industrial use only. Use good hygiene practices when handling product, including changing and laundering work clothes after use. Get medical attention if you are exposed and feel unwell. The shipping and storage container is not designed to be pressurized. Do not use pressure to empty

the container as it may rupture with explosive force.

Containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly. Empty containers may contain residue or vapors. Do not cut, grind, drill, weld or reuse containers.

**Storage** Store product in closed containers in a well-ventilated area

away from heat, sources of ignition and incompatibles. Do not store in unlabeled containers. Empty containers may

contain residue or vapors.

## Section 8 – Exposure Controls / Personal Protection

Component	ACGIH TLV	OSHA PEL
Petroleum oil	5 mg/m <sup>3</sup>	5 mg/m <sup>3</sup>

**Engineering Controls** Use appropriate ventilation to maintain airborne

concentration limits below recommended exposure limits.

**Eye and Face Protection** Wear safety glasses; use face shield if splashing is

possible.

**Skin Protection** Oil resistant gloves should be used to avoid repeated

contact.

**Respiratory Protection** Not normally needed. A NIOSH or MSHA approved

respirator should be used in areas with high vapor

concentrations or oil misting.



## **Section 9 – Physical And Chemical Properties**

Appearance/Physical State	Dark liquid	Flash Point	>300 °F
Specific Gravity (Water=1)	See Data Sheet	Upper/Lower Flammability Limits (Vol. %)	Not Determined
pH	Not Applicable	Auto-ignition Temperature	Not Determined
Solubility in Water	Negligible	Decomposition Temperature	Not Determined
Odor	Petroleum	Vapor Pressure	Not Determined
Odor Threshold	Not Determined	Vapor Density (Air-=1)	>1
Melting/Freezing Point	Not Determined	Partition Coefficient (n-octanol/water)	Not Determined
<b>Boiling Range</b>	Not Determined	Viscosity	See Data Sheet
Initial Boiling Point	Not Determined	Critical Temperature	Not Determined

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Those should be requested separately.

## Section 10 – Stability And Reactivity

**Reactivity** Does not react under normal conditions of use.

Chemical StabilityStable under normal conditions of use.Stability/IncompatibilityConditions to AvoidOpen flame or sources of ignition.

**Hazardous Reactions/Decomposition Products** 

Does not decompose under normal conditions; combustion may produce CO, CO<sub>2</sub>, volatile hydrocarbons and other

possibly toxic gases.

## **Section 11 – Toxicological Information**

Likely Routes of

Inhalation, skin, eyes

Exposure Acute Effects

fects Product not tested. Based on components the effects of

skin contact, inhalation and ingestion are expected to be mild. Some temporary eye irritation may occur. Refer to

### **GREENLEE.**

**Product Name: GREENLEE Dark Thread Cutting Oil** 

Sections 2 and 4 for recommended actions.

**Reproductive Toxicity** May cause harm to breast-fed babies.

Chronic Effects Any acute symptoms may be aggravated. Refer to Sections

2 and 4 for recommended actions.

**Symptoms** Prolonged or repeated exposure may cause redness,

drying, or cracking of the skin, eye irritation, gastrointestinal and respiratory discomfort. Refer to Sections 2 and 4 for

recommended actions.

**Carcinogenicity** No components of this product are found to be carcinogens

by NTP, IARC or OSHA.

### Section 12 - Ecological Information

EcotoxicityNot DeterminedPersistence and BiodegradabilityNot DeterminedBioaccumulative PotentialNot DeterminedMobility in SoilNot Determined

### **Section 13 – Disposal Consideration**

Dispose of this product in compliance with all applicable federal, state and local regulations.

# **Section 14 – Transportation Information**

DOT Not Regulated
UN Proper Shipping
Name/Number

Not Regulated

### **Section 15 – Regulatory Information**

Chemical Inventory Lists

All ingredients are listed on

TSCA and DSL SARA (311/312) Reportable Hazard Categories Chronic Hazard

SARA 313 Ingredients

None



### **Section 16 – Other Information**

Prepared by:..... GREENLEE TOOLS, INC.

Operating Standard......6-601

Revision ..... A

Engineering Change.....

Issue Date: ...... July 15, 2021

GREENLEE TOOL BELIEVES THE STATEMENTS, TECHNICAL INFORMATION AND RECOMMENDATIONS CONTAINED HEREIN ARE RELIABLE BUT THEY ARE GIVEN WITHOUT WARRANTY OR GUARANTEE OF ANY KIND, EXPRESSED OR IMPLIED, AND WE ASSUME NO RESPONSIBILITY FOR ANY LOSS, DAMAGE OR EXPENSE, DIRECT OR CONSEQUENTIAL, ARISING OUT OF THEIR USE.