# Eaton BR24L70SP

# Catalog Number: BR24L70SP

Eaton BR main lug loadcenter, Current design, Main lug, 70 A,5, Aluminum, Cover not included, NEMA 1, Metallic, 10 kAIC, BR, Surface, 4 Circuits, 2 Spaces, Three-wire, Single-phase, Type BR 1-inch breakers, 120/240 V, #8-2 AWG Cu/Al

### General specifications

**Product Name** 

Eaton BR main lug loadcenter

**UPC** 

786676001670

**Product Height** 

23 in

**Product Weight** 

3.3 lb

Certifications

UL 67 UL 50 Catalog Number

BR24L70SP

Product Length/Depth

3.88 in

Product Width

14.31 in

Warranty

10 year

**Catalog Notes** 

Ground bar kit priced separately.

Suitable for use as service equipment

when no more than 2 service

disconnecting mains are provided or when not used as lighting & appliance

panelboard



## **Product specifications**

Number of spaces

2

Special features

Current design

Interrupt rating

10 kAIC

Phase

Single-phase

Wire size

#8-2 AWG Cu/AI

Bus material

Aluminum

Main circuit breaker

BR

Enclosure

NEMA 1

Amperage Rating

70 A

Number Of Poles

Four-pole

Mounting

Surface

Enclosure material

Metallic

Type

Main lug

Cover

Cover not included

Used with

Type BR 1-inch breakers

Number of wires

3

Number of circuits

4

### Resources

#### **Brochures**

Loadcenters and Circuit Breakers

Type BR Arc Fault Circuit Breakers and Loadcenters

#### Catalogs

Eaton's Volume 1—Residential and Light Commercial

Installation instructions

Cutler-Hammer Type CH and BR Loadcenters - Instructions

Specifications and datasheets

Eaton Specification Sheet - BR24L70SP

### Voltage rating

120/240 V

Box size

5



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia