

Eaton CHSPT2ULTRA

Catalog Number: CHSPT2ULTRA

Eaton SPD Type 2 CHSP Service Entrance Surge Protection, 120/240V line, 150V L-N, 300V L-L MCOV, 600V L-N, 1000V L-L, 800V N-G, 600V L-G VPR, 22 kA SCCR, NEMA 4, Single-phase, 60 Hz, 20 kA nominal current discharge, 108 kA surge current

General specifications

Product Name	Catalog Number
Eaton CHSPT2 surge protection device	CHSPT2ULTRA
UPC	Product Length/Depth
786685436883	7 in
Product Height	Product Width
2.5 in	5 in
Product Weight	Warranty
1 lb	Limited lifetime
Certifications	
cUL Certified	
UL 1449	
UL Recognized	



Product specifications

Special features

Meets or exceeds the requirements specified in IBC ©2006, CBC2007, and UBC@Zone 4

Interrupt rating

200 kAIC

Phase

Single-phase

Enclosure

NEMA 4

Surge current

108 kA

Nominal Discharge Current

20 kA

Short-circuit rating

22000 kA

Type

Surge protection device

Operating voltage

150V L-N, 300V L-L

Frequency rating

60 Hz

Operating temperature

-40 to 50 °C

Voltage rating

120/240 V

Protection

600V L-N, 1000V L-L, 800V N-G, 600V L-G

Resources

Brochures

[Product Family Guide](#)

[Mike Holmes - Type 2 Surge Products](#)

[Storm season is coming. Are you prepared?](#)

[Install sheets, CHSPT2](#)

[Complete Home Protection, Publication No. FL010001EN / 3PC](#)

[Ultra, Publication No. SA00414002E / VCG1503](#)

[Complete Home Protection, Publication No. BR00414002E / VCG1502](#)

[Eaton Solutions, Publication No. SA00404006E / VCG1302](#)

Catalogs

[Eaton's Volume 1—Residential and Light Commercial](#)

[Surge Protection](#)

Installation instructions

[Complete Home Surge Protection](#)

Specifications and datasheets

[Eaton Specification Sheet - CHSPT2ULTRA](#)

Warranty guides

[Surge Protection Warranty WA00414003E](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)