

Eaton UTH4330TCH

Catalog Number: UTH4330TCH

Eaton meter socket, 1-pos commercial or resi service, 320A, Over/under, 5x5 inch hub open, 3/8 inc stud, 4-jaw, 1-ph, 3/8 inch stud, Lever bypass, Gnd conn (#14-#2 Cu), Triplex, Side-wired, 3-wire, Ringless, 600 Vac



General specifications

Product Name

Eaton meter socket

Catalog Number

UTH4330TCH

UPC

782114015278

Product Length/Depth

5.69 in

Product Height

36.63 in

Product Width

15 in

Product Weight

38 lb

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Certifications

UL Listed

Product specifications

Phase

Single-phase

Utility approvals

NY : Central Hudson Gas & Electric (CHG&E)

ME : Central Maine Power

ME : Emera Maine (Bangor Hydro Electric Co./ Maine Public Service Company)

AL : Huntsville Utilities

TN : Middle Tennessee EMC

NM : Texas-New Mexico Power (TNMP)

TX : Texas-New Mexico Power (TNMP)

TX : Entergy

Number of jaws

Four-jaw

Security

Ringless

Amperage Rating

320A

Hub type

5 x 5 hub opening

Line

3/8 in stud

Load

3/8 in stud

Type

Single-position commercial or residential service

Feed type

Top/bottom

Number of sockets

1

Bypass

Lever

Number of wires

Three-wire

Voltage rating

600 V

Resources

Brochures

[Single Meter Sockets](#)

Catalogs

[Eaton's Volume 1—Residential and Light Commercial](#)

Drawings

[Dimensional Drawing - SKT 320A 1P HO](#)

Specifications and datasheets

[Metering Equipment - Utilities Servicing Ohio](#)

[Eaton Specification Sheet - UTH4330TCH](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)